	Type	т #	Hits	Search Text	DBs	Time Stamp
н	BRS	L1	_ 0_	configuration with (multicast multi-cast) with (token-ring (token adjl ring))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/01/08 23:03
7	BRS	LZ	7	configuration same (multicast multi-cast) same (token-ring (token adjl ring))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/01/08 23:15
m	BRS	<u>1</u> 13	174	configuration with (distribute distributed distributing distribution) with (copy copies)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/01/08 23:17
4.	BRS	L4	0	configuration with (distribute distributed distributing distribution) with (copy copies) with agents with (token-ring (token adjl ring))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/01/08 23:18
2	BRS	Tr 2		configuration with (distribute distributed distributing US-PGPUB; USPAT; distribution) with (copy copies) with (token-ring USOCR; EPO; JPO; (token adjl ring))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/01/08 23:17
٠	BRS	Ire	e .	configuration with (distribute distributed distributing distribution) with (copy copies) with agents	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/01/08 23:28
7	BRS	L7	170	3 not (5 or 6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/01/08 23:19
80	BRS	L8	10	7 and (token-ring or (token adj1 ring))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/01/08 23:19
_6	BRS	L9	н	configuration with (distribute distributed distributing distribution) with (parameter information) with (token-ring or (token adjl ring))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/01/08 23:30
10	BRS	L10	160	7 not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/01/08 23:30
11	BRS	L11	105	10 and @ad<"20031014"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/01/08 23:31

10/684,409